What is claimed is:

5

10

20

30

1. A method for treating tumor in a subject comprising administering to the subject an effective amount of:

- (a) VNP40101M, or its equivalent; and
- (b) a nucleoside, or a nucleoside analog.
- 2. A method for inhibiting tumor cell growth comprising contacting the tumor cell with effective amounts of:
 - (a) VNP40101M, or its equivalent; and
 - (b) a nucleoside, or a nucleoside analog.
- 3. The method of claim 1 or 2 wherein the nucleoside is AraC (cytarabine), azacitidine, cladribine, decitabine, gemcitabine, mercaptopurine, thioguanine, fludarabine, clofarabine, troxacitabine or pentostatin.
 - 4. The method of claim 1 or 2, wherein the tumor is solid malignant tumor, leukemia or lymphoma.
 - 5. The method of claim 1 or 2, wherein VNP40101M and the nucleoside can be administered concurrently or sequentially.
- 6. The method of claim 1, wherein VNP40101M and the nucleoside are administered intravenously, subcutaneously, or orally.
 - 7. A method for treating cancer comprising administering to a subject in need thereof an effective amount of VNP401OM and a nucleoside.
 - 8. The method of claim 7, wherein the cancer is a leukemia and the nucleoside is AraC .
- 9. The method of claim 7, wherein the cancer is a leukemia and the nucleoside is clofarabine.
 - 10. The method of claim 8 or 9, wherein the leukemia is acute myelogenous leukemia.

WO 2005/094282 PCT/US2005/010152

11. The method of CTaim 8, wherein the dose of VNP40101M is between 100 and 1000 mg/m 2 and the dose of AraC is between 500 and 5000 mg/m 2 .

- 5 12. A method for treating tumor in a subject comprising administering to the subject:
 - (a) an effective amount of VNP40101M, or its equivalent; and
 - (b) another anti-tumor therapy.

10

- 13. A method for inhibiting tumor cell growth comprising contacting the tumor cell:
 - (a) with effective amounts of VNP40101M, or its equivalent; and
- 15 (b) another anti-tumor therapy.
 - 14. The method of claim 12 or 13 wherein the other anti-tumor therapy is radiation therapy or administration of another chemotherapeutic agent.

20

- 15. The method of claim 14 wherein the chemotherapeutic agent is antimetabolites, etoposide, doxorubicin, taxol, vincristine, cyclophosphamide, mitomycin C, topoisomerase I and topoisomerase II inhibitors (adriamycin, topotecan, campothecin and irinotecan),
- cisplatin, carboplatin, tipifarnib (R115777), SCH66336, erlotinib, gefitinib, or gemtuzumab ozogamicin.
 - 16. The method of any of claim 1-2, 6-12 and 14-15 wherein the subject is a human.

30

- 17. A composition comprising an amount of VNP40101M which produces synergistic effects when used in combination with a nucleoside in treating tumor.
- 35 18. A composition comprising an amount of nucleoside which produces synergistic effects when used in combination with a VNP40101M in treating tumor.